

Report No.: **244569858a 001** Page 1 of 27

Client: CAV NEW ENERGY TECHNOLOGY CO., LTD.

Contact Information: A1605, Tsinghua Innovation Building, No. 1 Zhihui Road, Huishan District, Wuxi City, Jiangsu, P.R. China

**Identification/
Model No(s):** In-cable control and protection device (IC-CPD)
1) EVCAV-1P6-A1 EVCAV-1P6-A2 EVCAV-1P6-A3 EVCAV-1P6-A4
EVCAV-1P6-A5
2) EVCAV-1P8-A1 EVCAV-1P8-A2 EVCAV-1P8-A3 EVCAV-1P8-A4
EVCAV-1P8-A5
3) EVCAV-1P10-A1 EVCAV-1P10-A2 EVCAV-1P10-A3 EVCAV-1P10-A4 EVCAV-1P10-A5
4) EVCAV-1P13-A1 EVCAV-1P13-A2 EVCAV-1P13-A3 EVCAV-1P13-A4 EVCAV-1P13-A5
5) EVCAV-1P16-A1 EVCAV-1P16-A2 EVCAV-1P16-A3 EVCAV-1P16-A4 EVCAV-1P16-A5
6) EVCAV-1P32-A1 EVCAV-1P32-A2 EVCAV-1P32-A3 EVCAV-1P32-A4 EVCAV-1P32-A5

Condition at delivery: Test item complete and undamaged.

Sample Receiving date: 2024-01-11, 2024-02-01

Testing Period: 2024-01-12 to 2024-02-04

Place of testing: Chemical laboratory Shanghai

Test Specification:

Customer's requirement:

1. Screening Test by XRF Spectroscopy

Test result:

PASS

According to RoHS (recast): Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment, 2011/65/EU Annex II and its amendment.

2. Screening of substances of very high concern (SVHC) subject to the candidate list by European Chemical Agency (ECHA) according to Regulation (EC) No 1907/2006 of REACH and its amendments

Please refer to result page

For and on behalf of
TÜV Rheinland (Shanghai) Co., Ltd.



2024-02-05

Ryan Chen / Section Manager

Date

Name/Position

Sample information is provided by customer. Test result is drawn according to the kind and extent of tests performed.
This test report relates to the above mentioned test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products.
"Decision Rule" document announced in our website (<https://www.tuv.com/landingpage/en/qm-gcn/>) describes the statement of conformity and its rule of enforcement for test results are applicable throughout this test report.

Test Report No.: 244569858a 001

Page 2 of 27

Material List:

Item: In-cable control and protection device (IC-CPD)

- 1) EVCAV-1P6-A1 EVCAV-1P6-A2 EVCAV-1P6-A3 EVCAV-1P6-A4 EVCAV-1P6-A5
- 2) EVCAV-1P8-A1 EVCAV-1P8-A2 EVCAV-1P8-A3 EVCAV-1P8-A4 EVCAV-1P8-A5
- 3) EVCAV-1P10-A1 EVCAV-1P10-A2 EVCAV-1P10-A3 EVCAV-1P10-A4 EVCAV-1P10-A5
- 4) EVCAV-1P13-A1 EVCAV-1P13-A2 EVCAV-1P13-A3 EVCAV-1P13-A4 EVCAV-1P13-A5
- 5) EVCAV-1P16-A1 EVCAV-1P16-A2 EVCAV-1P16-A3 EVCAV-1P16-A4 EVCAV-1P16-A5
- 6) EVCAV-1P32-A1 EVCAV-1P32-A2 EVCAV-1P32-A3 EVCAV-1P32-A4 EVCAV-1P32-A5

Material No.	Material	Color	Location
A001	Plastic	black	refer to photo
A002	Metal	silver	refer to photo
A003	Plastic	black	refer to photo
A004	Metal	silver	refer to photo
A005	Rubber	black	refer to photo
A006	Plastic	blue	refer to photo
A007	Plastic	green/yellow	refer to photo
A008	Plastic	red	refer to photo
A009	Plastic	blue	refer to photo
A010	Metal	silver	refer to photo
A011	Metal	coppery	refer to photo
A012	Plastic	dark brown	refer to photo
A013	Plastic	black	refer to photo
A014	Plastic	dark yellow	refer to photo
A015	Textile	white	refer to photo
A016	Textile	grey	refer to photo
A017	Plastic	white	refer to photo
A018	Metal	silver	refer to photo
A019	Plastic	black	refer to photo
A020	Plastic	black	refer to photo
A021	Plastic	light yellow-green	refer to photo
A022	Plastic	silver	refer to photo
A023	Plastic + adhesive	transparent/black	refer to photo
A024	Plastic	black	refer to photo
A025	Plastic	blue	refer to photo

Test Report No.: 244569858a 001

Page 3 of 27

A026	Metal	black	refer to photo
A027	Plastic	black	refer to photo
A028	Plastic	blue	refer to photo
A029	Rubber	black	refer to photo
A030	Rubber	black	refer to photo
A031	Rubber	black	refer to photo
A032	Metal	silver	refer to photo
A033	Plastic	black	refer to photo
A034	Plastic	black	refer to photo
A035	Metal	coppery	refer to photo
A036	Plastic	red	refer to photo
A037	Metal	silver	refer to photo
A038	Glue	black	refer to photo
A039	Metal	golden	refer to photo
A040	Electronic components	black	refer to photo
A041	Magnet	black	refer to photo
A042	Magnet	green	refer to photo
A043	Electronic components	blue	refer to photo
A044	Electronic components	yellow	refer to photo
A045	Electronic components	black	refer to photo
A046	Plastic	orange	refer to photo
A047	Plastic	yellow	refer to photo
A048	Plastic	black	refer to photo
A049	Electronic components	black	refer to photo
A050	Electronic components	black	refer to photo
A051	Electronic components	black	refer to photo
A052	Electronic components	black	refer to photo
A053	Electronic components	brown	refer to photo
A054	Electronic components	black	refer to photo
A055	Solder	silver	refer to photo
A056	Electronic components	black	refer to photo
A057	Electronic components	black	refer to photo

Test Report No.: 244569858a 001

Page 4 of 27

A058	PCB board	green	refer to photo
A059	Electronic components	black	refer to photo
A060	Electronic components	black	refer to photo
A061	Electronic components	dark grey	refer to photo
A062	Metal	silver	refer to photo
A063	PCB board	green	refer to photo
A064	Plastic	transparent	refer to photo
A065	Glass	black	refer to photo
A066	Plastic	transparent/white	refer to photo
A067	Metal + coating	black	refer to photo
A068	Metal	silver	refer to photo
A069	Metal	silver	refer to photo
A070	Metal	silver	refer to photo
A071	Metal	silver	refer to photo
A072	Metal	grey	refer to photo
A073	Rubber	black	refer to photo
A074	Plastic	grey	refer to photo
A075	Plastic	black	refer to photo
A076	Plastic	black	refer to photo
A077	Plastic	black	refer to photo
A078	Plastic	black	refer to photo
A079	Rubber	red	refer to photo
A080	Rubber	black	refer to photo
A081	Plastic	black	refer to photo
A082	Plastic	transparent	refer to photo
A083	Metal	silver	refer to photo
A084	Plastic	black	refer to photo
A085	Plastic	black	refer to photo
A086	Plastic	yellow/green	refer to photo
A087	Plastic	dark brown	refer to photo
A088	Plastic	light blue	refer to photo
A089	Plastic	red	refer to photo

Test Report No.: 244569858a 001

Page 5 of 27

A090	Plastic	black	refer to photo
A091	Metal	silver	refer to photo
A092	Rubber	red	refer to photo
A093	Metal	silver	refer to photo
A094	Metal	silver	refer to photo
A095	Plastic	green	refer to photo
A096	Plastic	black	refer to photo
A097	Metal	silver	refer to photo
A098	Electronic components	silver	refer to photo
A099	Electronic components	black	refer to photo
A100	Electronic components	black	refer to photo
A101	Electronic components	black	refer to photo
A102	Metal	silver	refer to photo
A103	PCB board	green	refer to photo
A104	Plastic	black	refer to photo
A105	Plastic	black	refer to photo
A106	Plastic	black	refer to photo
A107	Plastic	blue	refer to photo
A108	Plastic + adhesive	black	refer to photo
A109	Plastic + adhesive	silver/black	refer to photo

Test Report No.: 244569858a 001

Page 6 of 27

1. Screening Test by XRF spectroscopy

 Test Method: Cadmium, Lead, Mercury, Chromium, Bromine
 -- With reference to IEC 62321-3-1:2013

Test Result:

Material No.	Cd	Cr	Pb	Hg	Br
A001	BL	BL	BL	BL	BL
A002	d*1	BL	d*1	BL	n.a.
A003	BL	BL	BL	BL	BL
A004	BL	d*1	BL	BL	n.a.
A005	BL	BL	BL	BL	BL
A006	BL	BL	BL	BL	BL
A007	BL	BL	BL	BL	BL
A008	BL	BL	BL	BL	BL
A009	BL	BL	BL	BL	BL
A010	BL	BL	BL	BL	n.a.
A011	BL	BL	BL	BL	n.a.
A012	BL	BL	BL	BL	BL
A013	BL	BL	BL	BL	BL
A014	BL	BL	BL	BL	d*1
A015	BL	BL	BL	BL	BL
A016	BL	BL	BL	BL	BL
A017	BL	BL	BL	BL	BL
A018	BL	BL	BL	BL	n.a.
A019	BL	BL	BL	BL	BL
A020	BL	BL	BL	BL	BL
A021	BL	BL	BL	BL	BL
A022	BL	BL	BL	BL	BL
A023	BL	BL	BL	BL	BL
A024	BL	BL	BL	BL	BL
A025	BL	BL	BL	BL	BL
A026	BL	d*1	BL	BL	n.a.
A027	BL	BL	BL	BL	BL
A028	BL	BL	BL	BL	BL
A029	BL	BL	BL	BL	BL
A030	BL	BL	BL	BL	BL
A031	BL	BL	BL	BL	BL
A032	BL	BL	d*1	BL	n.a.
A033	BL	BL	BL	BL	d*1
A034	BL	BL	BL	BL	d*1
A035	BL	BL	BL	BL	n.a.
A036	BL	BL	BL	BL	d*1
A037	BL	BL	BL	BL	n.a.

Test Report No.: 244569858a 001

Page 7 of 27

A038	BL	BL	BL	BL	BL
A039	BL	BL	BL	BL	n.a.
A040	BL	BL	BL	BL	BL
A041	BL	BL	BL	BL	n.a.
A042	BL	BL	BL	BL	n.a.
A043	BL	BL	BL	BL	BL
A044	BL	BL	BL	BL	BL
A045	BL	BL	BL	BL	BL
A046	BL	BL	BL	BL	BL
A047	BL	BL	BL	BL	BL
A048	BL	BL	BL	BL	BL
A049	BL	BL	BL	BL	BL
A050	BL	BL	BL	BL	BL
A051	BL	BL	BL	BL	BL
A052	BL	BL	BL	BL	BL
A053	BL	BL	BL	BL	BL
A054	BL	BL	BL	BL	BL
A055	BL	BL	BL	BL	n.a.
A056	BL	d*1	d*1	BL	n.a.
A057	BL	BL	BL	BL	BL
A058	BL	BL	BL	BL	d*1
A059	BL	BL	BL	BL	BL
A060	BL	BL	BL	BL	BL
A061	BL	d*1	BL	BL	BL
A062	BL	d*1	BL	BL	n.a.
A063	BL	BL	BL	BL	d*1
A064	BL	BL	BL	BL	BL
A065	BL	BL	BL	BL	n.a.
A066	BL	BL	BL	BL	BL
A067	BL	d*1	BL	BL	n.a.
A068	BL	d*1	BL	BL	n.a.
A069	BL	BL	BL	BL	n.a.
A070	BL	d*1	BL	BL	n.a.
A071	BL	d*1	BL	BL	n.a.
A072	BL	BL	BL	BL	n.a.
A073	BL	BL	BL	BL	BL
A074	BL	BL	BL	BL	BL
A075	BL	BL	BL	BL	BL
A076	BL	BL	BL	BL	BL
A077	BL	BL	BL	BL	BL
A078	BL	BL	BL	BL	BL
A079	BL	BL	BL	BL	BL
A080	BL	BL	BL	BL	BL

Test Report No.: 244569858a 001

Page 8 of 27

A081	BL	BL	BL	BL	BL
A082	BL	BL	BL	BL	BL
A083	BL	BL	BL	BL	n.a.
A084	BL	BL	BL	BL	BL
A085	BL	BL	BL	BL	BL
A086	BL	BL	BL	BL	BL
A087	BL	BL	BL	BL	BL
A088	BL	BL	BL	BL	BL
A089	BL	BL	BL	BL	BL
A090	BL	BL	BL	BL	BL
A091	BL	BL	d*1	BL	n.a.
A092	BL	BL	BL	BL	BL
A093	BL	BL	BL	BL	n.a.
A094	BL	BL	BL	BL	n.a.
A095	BL	BL	BL	BL	BL
A096	BL	BL	BL	BL	d*1
A097	BL	BL	BL	BL	n.a.
A098	BL	BL	BL	BL	BL
A099	BL	BL	BL	BL	BL
A100	BL	BL	BL	BL	BL
A101	BL	BL	BL	BL	BL
A102	BL	d*1	BL	BL	n.a.
A103	BL	BL	BL	BL	d*1
A104	BL	BL	BL	BL	BL
A105	BL	BL	BL	BL	BL
A106	BL	BL	BL	BL	BL
A107	BL	BL	BL	BL	BL
A108	BL	BL	BL	BL	BL
A109	BL	BL	BL	BL	BL

Abbreviation:

Pb	=	Lead
Cd	=	Cadmium
Hg	=	Mercury
Cr	=	Chromium
Br	=	Bromine
n.a.	=	Not applicable
BL	=	Below limit
OL	=	Over limit
d.	=	Detected

Test Report No.: 244569858a 001

Page 9 of 27

Remark:

- (*1) The screening result was detected in the inconclusive region or over limits, thus the further wet chemistry tests are suggested.
- (*2) Component(s)/ materials(s) with an area of less than 2 mm x 2 mm will not be selected for testing according to RoHS Directive 2011/65/EU due to technical reason.
For the test sample does not have detail materials information provided by client, visually identical materials (e.g. wire insulation, solder points, etc.) will be considered as the same material.
Solder points on a printing circuit board will be examined several times based on optical anomalies or discoloration of the solder point(s) unless the solder point(s) is obviously generated automatically during production.
All other materials will be sampled and tested at one test point representatively.

XRF Screening limits for different matrices :

Material	Concentration (%)				
	Cd	Cr	Pb	Hg	Br
Polymeric	BL≤0.006<X<0.014≤ OL	BL≤0.064<X	BL≤0.067<X<0.133≤ OL	BL≤0.066<X< 0.134≤OL	BL≤0.029<X
Metallic	BL≤0.006<X<0.014≤ OL	BL≤0.064<X	BL≤0.067<X<0.133≤ OL	BL≤0.066<X< 0.134≤OL	n.a.
Composite materials	BL≤0.004<X<0.016≤ OL	BL≤0.044<X	BL≤0.047<X<0.153≤ OL	BL≤0.046<X< 0.154≤OL	BL≤0.024<X

Remark: The symbol "X" marks the region where further investigation is necessary.

Test Report No.: 244569858a 001

Page 10 of 27

Cadmium, Lead, Chromium (VI), Mercury, Polybrominated biphenyls (PBB) and Polybrominated diphenyl ethers (PBDE)

Test Method: Total Cadmium, Lead, Mercury, Chromium

- Ref. to IEC 62321-4:2013+AMD1:2017 and IEC 62321-5:2013

Chromium (VI)

- For Metal material - Ref. to IEC 62321-7-1:2015

- For Polymer, Electronic material or others materials – Ref. to IEC 62321-7-2:2017

PBBs, PBDEs – Ref. to IEC 62321-6:2015

Test Result:

	Cd	Cr(VI)	Pb	Hg	PBBs	PBDEs
Maximum Permissible Limit (%)	0.01	0.1	0.1	0.1	0.1	0.1

Material No.	(%)					
	Cd	Cr ^A	Pb	Hg	PBBs	PBDEs
	RL (%)					
	0.001	0.001	0.001	0.001	0.01	0.01
A002	0.0077	n.a.	1.96*6(c)	n.a.	n.a.	n.a.
A014	n.a.	n.a.	n.a.	n.a.	< RL	< RL
A032	n.a.	n.a.	0.0124	n.a.	n.a.	n.a.
A033	n.a.	n.a.	n.a.	n.a.	< RL	< RL
A034	n.a.	n.a.	n.a.	n.a.	< RL	< RL
A036	n.a.	n.a.	n.a.	n.a.	< RL	< RL
A056	n.a.	n.a.	0.158*7(c)-I	n.a.	n.a.	n.a.
A058	n.a.	n.a.	n.a.	n.a.	< RL	< RL
A063	n.a.	n.a.	n.a.	n.a.	< RL	< RL
A091	n.a.	n.a.	3.41*6(c)	n.a.	n.a.	n.a.
A096	n.a.	n.a.	n.a.	n.a.	< RL	< RL
A103	n.a.	n.a.	n.a.	n.a.	< RL	< RL

Material No.	Chromium VI content for metal materials ($\mu\text{g}/\text{cm}^2$)
	(*1) RL: 0.10 $\mu\text{g}/\text{cm}^2$
A004	Negative
A026	Negative
A062	Negative
A067	Negative
A068	Negative
A070	Negative
A071	Negative

Test Report No.: 244569858a 001

Page 11 of 27

A102	Negative
Material No.	Chromium VI content for other materials (%) RL: 0.01%
A056	< RL
A061	< RL

Abbreviation:	Pb	= Lead
	Cd	= Cadmium
	Hg	= Mercury
	Cr	= Chromium
	Cr (VI)	= Chromium (VI)
	PBBs	= Total Polybrominated Biphenyls
	PBDEs	= Total Polybrominated Diphenyl Ethers
	<	= Less than
	RL	= Reporting Limit
	n.a.	= Not Applicable
	^	= The total Chromium have been determined
	%	= Percentage

Remark:

(*1) The Chromium (VI) content of metal sample in surface layer have been confirmed with reference to IEC 62321-7-1:2015 Annex.

	Chromium (VI) concentration	Qualitative result
Negative	<0.1µg/cm ²	The sample is negative (-ve) for Cr(VI). The Cr(VI) concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating
Inconclusive	≥0.1µg/cm ² and ≤0.13 µg/cm ²	The result is considered to be inconclusive. Unavoidable coating variations may influence the determination. Recommendation: if additional samples are available, perform a total of 3 trials to increase sampling surface area. Use the averaged result of the 3 trials for the final determination.
Positive	>0.13 µg/cm ²	The sample is positive (+ve) for Cr(VI). Concentration is above the limit of quantification and the statistical margin of error. The sample coating is considered to contain Cr(VI).

*6(c) Copper alloy containing up to 4 % lead by weight.

*7(c)- Denotes exemption applications 7(c)-I Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectric devices, or in a glass or ceramic matrix compound.

Test Report No.: 244569858a 001

Page 12 of 27

BBP, DBP, DEHP, DIBP content

Test Method: ref. to IEC 62321-8:2017

Test Result:

	BBP	DBP	DEHP	DIBP
Maximum permissible Limit (%)	0.1	0.1	0.1	0.1

Test No.	Material No.	(%)			
		BBP	DBP	DEHP	DIBP
		RL (%)			
		0.005	0.005	0.005	0.005
T001	A001 + A003 + A006 + A007 + A008	< RL	< RL	< RL	< RL
T002	A009 + A012 + A013 + A019 + A066	< RL	< RL	< RL	< RL
T004	A081 + A082 + A084 + A085 + A086	< RL	< RL	< RL	< RL
T005	A087 + A088 + A089 + A090 + A109	< RL	< RL	< RL	< RL
T006	A005 + A029 + A030 + A031 + A073	< RL	< RL	< RL	< RL
T007	A079 + A080 + A092	< RL	< RL	< RL	< RL

Abbreviation:
 BBP= Benzylbutyl phthalate
 DBP= Dibutyl phthalate
 DEHP= Bis(2-ethylhexyl) phthalate
 DIBP= Diisobutyl phthalate
 < = less than
 RL = Reporting Limit
 % = percentage

Remark:

- * The maximum permissible limit is required from the amendment (EU) 2015/863 of RoHS Directive 2011/65/EU.

Test Report No.: 244569858a 001

Page 13 of 27

2. Screening of Substances of Very High Concern (SVHC) subject to the Candidate List by European Chemical Agency (ECHA) according to Regulation (EC) No 1907/2006 of REACH and its amendments.

Obligation of Importer is necessary if the detected SVHC concentration in article level is >0.1%:
To communicate information down the supply chain according to article. 33 of Regulation(EC) No 1907/2006. OR

1. Notification to ECHA, if the quantities of SVHC in the produced/imported articles are above 1 ton in total per year per company.
2. Provide sufficient information to ensure safe use of the article and, as a minimum, include the name of the substance, to their customers and on request to consumers within 45 days of the receipt of this request.

Test Method: 1) SVOC: organic solvent extraction, determination by GC-MS/ECD
2) VOC: organic solvent extraction, determination by GC-MS
3) VVOC: headspace-GC/MS analysis
4) non-VOC: organic solvent extraction, determination by LC-MS/MS.
5) inorganics: acid digestion, determination by ICP-OES

Test Result:

Test Report No.: 244569858a 001

Page 14 of 27

Test No.	Material No.	Result (%)
T001	A001 + A003 + A006 + A007 + A008	< RL
T002	A002	Lead: 1.96
T003	A004 + A010 + A011 + A018 + A026 + A035	< RL
T004	A005	< RL
T005	A009 + A012 + A013 + A019 + A066	< RL
T006	A014 + A017 + A020 + A021 + A022 + A023 + A024	< RL
T007	A015 + A016	< RL
T008	A025 + A027 + A028 + A033 + A034 + A036	< RL
T009	A029	D5: 0.04 D6: 0.06
T010	A030	D5: 0.03 D6: 0.04
T011	A031	D5: 0.06 D6: 0.07
T012	A032	Lead: 0.0124
T013	A037 + A039 + A041 + A042 + A062 + A067 + A068 + A069	< RL
T014	A038	< RL
T015	A040 + A043 + A044 + A045 + A049 + A050 + A051	< RL
T016	A048 + A064 + A074 + A075 + A076 + A077 + A078	< RL
T017	A052 + A053 + A054 + A057 + A058 + A059	< RL
T018	A055	< RL
T019	A056	Lead: 0.158
T020	A060 + A061 + A063 + A098 + A099 + A100 + A101 + A103	< RL
T021	A065	< RL
T022	A070 + A071 + A072 + A083 + A093 + A094 + A097 + A102	< RL
T023	A073	D6: 0.03
T024	A079	D5: 0.03 D6: 0.06
T025	A080	D6: 0.06
T026	A081 + A082 + A084 + A085 + A086	< RL
T027	A087 + A088 + A089 + A090 + A109	< RL
T028	A091	Lead: 3.41
T029	A092	< RL
T030	A095 + A096 + A104 + A105 + A106 + A107 + A108	< RL

Test Report No.: 244569858a 001

Page 15 of 27

Abbreviation: < = Less than
RL =Reporting Limit
% =Percentage

Test Report No.: 244569858a 001

Page 16 of 27

Remark:

(*1) The reporting limit for each individual SVHC in Candidate List by ECHA:

	Substance	CAS No.	Reporting Limit
1	4,4'- Diaminodiphenylmethane (MDA)	101-77-9	0.01%
2	Benzyl butyl phthalate (BBP)	85-68-7	0.01%
3	Bis (2-ethylhexyl)phthalate (DEHP)	117-81-7	0.01%
4	Dibutyl phthalate (DBP)	84-74-2	0.01%
5	Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified: Alpha-hexabromocyclododecane Beta-hexabromocyclododecane Gamma-hexabromocyclododecane	25637-99-4 / 3194-55-6 / 134237-50-6 / 134237-51-7 / 134237-52-8	0.01%
6	5-tert-butyl-2,4,6-trinitro-m-xylene (Musk xylene)	81-15-2	0.01%
7	2,4-Dinitrotoluene (2,4-DNT)	121-14-2	0.01%
8	Diisobutyl phthalate (DIBP)	84-69-5	0.01%
9	Tris(2-chloroethyl)phosphate	115-96-8	0.01%
10	Diarsenic pentoxide (*2)	1303-28-2	0.01%
11	Diarsenic trioxide (*2)	1327-53-3	0.01%
12	Lead chromate (*2)(*3)	7758-97-6	0.01%
13	Lead chromate molybdate sulphate red (C.I. Pigment Red 104) (*2)(*3)	12656-85-8	0.01%
14	Lead sulfochromate yellow (C.I. Pigment Yellow 34) (*2)	1344-37-2	0.01%
15	Trichloroethylene	79-01-6	0.01%
16	Chromium trioxide (*2)	1333-82-0	0.01%
17	Acids generated from chromium trioxide and their oligomers: Names of the acids and their oligomers: Chromic acid, Dichromic acid, Oligomers of chromic acid and dichromic acid. (*2)	7738-94-5 / 13530-68-2	0.01%
18	Sodium dichromate (*2)(*3)	7789-12-0 / 10588-01-9	0.01%
19	Potassium dichromate *2)(*3)	7778-50-9	0.01%
20	Ammonium dichromate (*2)(*3)	7789-09-5	0.01%
21	Potassium chromate (*2)(*3)	7789-00-6	0.01%
22	Sodium chromate (*2)(*3)	7775-11-3	0.01%
23	Formaldehyde, oligomeric reaction products with aniline (technical MDA) (*10)	25214-70-4	0.01%
24	1,2-Dichloroethane	107-06-2	0.01%
25	Bis(2-methoxyethyl) ether	111-96-6	0.01%
26	Arsenic acid (*2)	7778-39-4	0.01%
27	2,2'-dichloro-4,4'-methylenedianiline (MOCA)	101-14-4	0.01%
28	Dichromium tris(chromate) (*2)(*3)	24613-89-6	0.01%
29	Strontium chromate (*2)(*3)	7789-06-2	0.01%
30	Potassium hydroxyoctaoxodizincatedichromate (*2)(*3)	11103-86-9	0.01%
31	Pentazinc chromate octahydroxide (*2)(*3)	49663-84-5	0.01%
32	1-bromopropane (n-propyl bromide)	106-94-5	0.01%
33	Diisopentylphthalate	605-50-5	0.01%
34	1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)	71888-89-6	0.01%
35	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	0.01%
36	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	0.01%

Test Report No.: 244569858a 001

Page 17 of 27

37	Bis(2-methoxyethyl) phthalate	117-82-8	0.01%
38	Dipentyl phthalate (DPP)	131-18-0	0.01%
39	N-pentyl-isopentylphthalate	776297-69-9	0.01%
40	Anthracene oil (*6)	90640-80-5	0.01%(*7)
41	Pitch, coal tar, high temperature (*6)	65996-93-2	0.01%(*7)
42	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated (OPEO) [covering well-defined substances and UVCB substances, polymers and homologues]	-	0.01%
43	4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	-	0.01%
44	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	0.01%
45	Dihexyl phthalate	84-75-3	0.01%
46	1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5)	68515-51-5 / 68648-93-1	0.01%
47	Trixylyl phosphate	25155-23-1	0.01%
48	Sodium perborate,perboric acid, sodium salt (*2) (*5)	-	0.01%
49	Sodium peroxometaborate (*2) (*5)	7632-04-4	0.01%
50	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual stereoisomers of [1] and [2] or any combination thereof]	-	0.01%
51	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	0.01%
52	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327)	3864-99-1	0.01%
53	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3	0.01%
54	2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)	3846-71-7	0.01%
55	Anthracene	120-12-7	0.01%
56	Bis(tributyltin) oxide (TBTO) (*4)	56-35-9	0.01%
57	Triethyl arsenate (*2)	15606-95-8	0.01%
58	Lead hydrogen arsenate (*2)	7784-40-9	0.01%
59	Cobalt dichloride (*2)	7646-79-9	0.01%
60	Acrylamide	79-06-1	0.01%
61	Anthracene oil, anthracene paste, distn. lights (*6)	91995-17-4	0.01% (*7)
62	Anthracene oil, anthracene paste, anthracene fraction (*6)	91995-15-2	
63	Anthracene oil, anthracene-low (*6)	90640-82-7	
64	Anthracene oil, anthracene paste (*6)	90640-81-6	
65	Boric acid (*2) (*5)	10043-35-3 / 11113-50-1	0.01%
66	Disodium tetraborate, anhydrous (*2) (*5)	1303-96-4 / 1330-43-4 / 12179-04-3	0.01%
67	Tetraboron disodium heptaoxide, hydrate (*2) (*5)	12267-73-1	0.01%
68	2-Methoxyethanol	109-86-4	0.01%

Test Report No.: 244569858a 001

Page 18 of 27

69	2-Ethoxyethanol	110-80-5	0.01%
70	Cobalt(II) sulphate (*2)	10124-43-3	0.01%
71	Cobalt(II) dinitrate (*2)	10141-05-6	0.01%
72	Cobalt(II) carbonate (*2)	513-79-1	0.01%
73	Cobalt(II) diacetate (*2)	71-48-7	0.01%
74	Alkanes C10-C13, chloro (Short Chain Chlorinated Paraffins) (SCCP)	85535-84-8	0.01%
75	2-Ethoxyethyl acetate	111-15-9	0.01%
76	Hydrazine	302-01-2 / 7803-57-8	0.01%
77	1-Methyl-2-pyrrolidone (NMP)	872-50-4	0.01%
78	1,2,3-Trichloropropane	96-18-4	0.01%
79	Aluminosilicate Refractory Ceramic Fibres (RCF) (*8)	-	0.01%
80	Zirconia Aluminosilicate Refractory Ceramic Fibres (Zr-RCF) (*8)	-	0.01%
81	2-Methoxyaniline,o-Anisidine	90-04-0	0.01%
82	4-(1,1,3,3-tetramethylbutyl)phenol	140-66-9	0.01%
83	Calcium arsenate (*2)	7778-44-1	0.01%
84	Trilead diarsenate (*2)	3687-31-8	0.01%
85	N,N-dimethylacetamide (DMAC)	127-19-5	0.01%
86	Phenolphthalein	77-09-8	0.01%
87	Lead dipicrate (*2)	6477-64-1	0.01%
88	Lead diazide, Lead azide (*2)	13424-46-9	0.01%
89	Lead styphnate (*2)	15245-44-0	0.01%
90	1,2-bis(2-methoxyethoxy)ethane (TEGDME,triglyme)	112-49-2	0.01%
91	1,2-dimethoxyethane,ethylene glycol dimethyl ether (EGDME)	110-71-4	0.01%
92	Diboron trioxide (*2) (*5)	1303-86-2	0.01%
93	Formamide	75-12-7	0.01%
94	Lead(II) bis(methanesulfonate) (*2)	17570-76-2	0.01%
95	1,3,5-Tris(oxiran-2-ylmethyl)-1,3,5-triazinane-2,4,6-trione (TGIC)	2451-62-9	0.01%
96	1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione (β -TGIC)	59653-74-6	0.01%
97	4,4'-bis(dimethylamino)benzophenone (Michler's ketone), MK	90-94-8	0.01%
98	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base), RMK	101-61-1	0.01%
99	[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene] cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) [with \geq 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] (*2)	2580-56-5	0.01%
100	[4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) [with \geq 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] (*9)	548-62-9	
101	4,4'-bis(dimethylamino)-4'-(methylamino)trityl alcohol [with \geq 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] (*9)	561-41-1	
102	α,α -Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) [with \geq 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] (*9)	6786-83-0	
103	Bis(pentabromophenyl) ether (decabromodiphenyl ether) (DecaBDE)	1163-19-5	0.01%
104	Pentacosfluorotridecanoic acid	72629-94-8	0.01%

Test Report No.: 244569858a 001

Page 19 of 27

105	Tricosafluorododecanoic acid	307-55-1	0.01%
106	Henicosafluoroundecanoic acid	2058-94-8	0.01%
107	Heptacosafaurotetradecanoic acid	376-06-7	0.01%
108	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide)) (ADCA) (*11)	123-77-3	0.05%
109	Cyclohexane-1,2-dicarboxylic anhydride [1], cis-cyclohexane-1,2-dicarboxylic anhydride [2], trans-cyclohexane-1,2-dicarboxylic anhydride [3] [The individual cis- [2] and trans- [3] isomer substances and all possible combinations of the cis- and trans-isomers [1] are covered by this entry]	85-42-7 / 13149-00-3 / 14166-21-3	0.01%
110	Hexahydromethylphthalic anhydride (MHHPA) [1], Hexahydro-4-methylphthalic anhydride [2], Hexahydro-1-methylphthalic anhydride [3], Hexahydro-3-methylphthalic anhydride [4] [The individual isomers [2], [3] and [4] (including their cis- and trans- stereo isomeric forms) and all possible combinations of the isomers [1] are covered by this entry]	25550-51-0 / 19438-60-9 / 48122-14-1 / 57110-29-9	0.01%
111	N,N-dimethylformamide	68-12-2	0.01%
112	1,2-Diethoxyethane	629-14-1	0.01%
113	Diethyl sulphate	64-67-5	0.01%
114	Methoxyacetic acid (MAA)	625-45-6	0.01%
115	Dimethyl sulphate	77-78-1	0.01%
116	N-methylacetamide	79-16-3	0.01%
117	Furan	110-00-9	0.01%
118	Methyloxirane (Propylene oxide)	75-56-9	0.01%
119	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2	0.01%
120	Dibutyltin dichloride (DBTC) (*15)	683-18-1	0.01%
121	Dinoseb (6-sec-butyl-2,4-dinitrophenol)	88-85-7	0.01%
122	4,4'-methylenedi-o-toluidine	838-88-0	0.01%
123	4,4'-oxydianiline and its salts	101-80-4	0.01%
124	4-Aminoazobenzene	60-09-3	0.01%
125	4-methyl-m-phenylenediamine (toluene-2,4-diamine)	95-80-7	0.01%
126	6-methoxy-m-toluidine (p-cresidine)	120-71-8	0.01%
127	Biphenyl-4-ylamine	92-67-1	0.01%
128	o-aminoazotoluene	97-56-3	0.01%
129	o-Toluidine	95-53-4	0.01%
130	Acetic acid, lead salt, basic (*2)	51404-69-4	0.01%
131	Trilead bis(carbonate) dihydroxide (*2)	1319-46-6	0.01%
132	Lead oxide sulfate (*2)	12036-76-9	0.01%
133	[Phthalato(2-)]dioxotrilead (*2)	69011-06-9	0.01%
134	Dioxobis(stearato)trilead (*2)	12578-12-0	0.01%
135	Fatty acids, C16-18, lead salts (*2)	91031-62-8	0.01%
136	Lead bis(tetrafluoroborate) (*2)	13814-96-5	0.01%
137	Lead cyanamide (*2)	20837-86-9	0.01%
138	Lead dinitrate (*2)	10099-74-8	0.01%
139	Lead monoxide (lead oxide) (*2)	1317-36-8	0.01%
140	Orange lead (lead tetroxide) (*2)	1314-41-6	0.01%
141	Lead titanium trioxide (*2)	12060-00-3	0.01%
142	Lead titanium zirconium oxide (*2)	12626-81-2	0.01%

Test Report No.: 244569858a 001

Page 20 of 27

143	Pyrochlore, antimony lead yellow (*2)	8012-00-8	0.01%
144	Pentalead tetraoxide sulphate (*2)	12065-90-6	0.01%
145	Silicic acid (H2Si2O5), barium salt (1:1), lead-doped [with lead (Pb) content above the applicable generic concentration limit for 'toxicity for reproduction' Repr. 1A (CLP) or category 1 (DSD), the substance is a member of the group entry of lead compounds, with index number 082-001-00-6 in Regulation (EC) No 1272/2008] (*2)	68784-75-8	0.01%
146	Silicic acid, lead salt (*2)	11120-22-2	0.01%
147	Sulfurous acid, lead salt, dibasic (*2)	62229-08-7	0.01%
148	Tetraethyllead (*2)	78-00-2	0.01%
149	Tetralead trioxide sulphate (*2)	12202-17-4	0.01%
150	Trilead dioxide phosphonate (*2)	12141-20-7	0.01%
151	Ammonium pentadecafluoroctanoate (APFO) (*12)	3825-26-1	0.01%
152	Pentadecafluoroctanoic acid (PFOA)	335-67-1	0.01%
153	Cadmium (*2)	7440-43-9	0.01%
154	Cadmium oxide (*2)	1306-19-0	0.01%
155	4-Nonylphenol, branched and linear, ethoxylated (NPEO) [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]	-	0.01%
156	Imidazolidine-2-thione; (2-imidazoline-2-thiol)	96-45-7	0.01%
157	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	573-58-0	0.01%
158	Disodium 4-amino-3-[[4'-(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	1937-37-7	0.01%
159	Lead di(acetate) (*2)	301-04-2	0.01%
160	Cadmium sulphide (*2)	1306-23-6	0.01%
161	Cadmium chloride (*2)	10108-64-2	0.01%
162	Cadmium fluoride (*2)	7790-79-6	0.01%
163	Cadmium sulphate (*2)	10124-36-4 / 31119-53-6	0.01%
164	2-ethylhexyl 10-ethyl-4,4-diethyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE) (*13)	15571-58-1	0.01%
165	Reaction mass of 2-ethylhexyl 10-ethyl-4,4-diethyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE) (*14)	-	0.01%
166	1,3-propanesultone	1120-71-4	0.01%
167	Nitrobenzene	98-95-3	0.01%
168	Perfluorononan-1-oic-acid and its sodium and ammonium salts	375-95-1 21049-39-8 4149-60-4	0.01%
169	Benzo[def]chrysene (Benzo[a]pyrene)	50-32-8	0.01%
170	4,4'-isopropylidenediphenol (bisphenol A)	80-05-7	0.01%
171	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts	335-76-2 3830-45-3 3108-42-7	0.01%
172	4-heptylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	-	0.01%
173	<i>p</i> -(1,1-dimethylpropyl)phenol	80-46-6	0.01%
174	Perfluorohexane-1-sulfonic acid and its salts (PFHxS)	-	0.01%

Test Report No.: 244569858a 001

Page 21 of 27

175	Chrysene	218-01-9	0.01%
176	Benzo[a]anthracene	56-55-3	0.01%
177	Cadmium nitrate(*2)	10325-94-7	0.01%
178	Cadmium hydroxide(*2)	21041-95-2	0.01%
179	Cadmium carbonate(*2)	513-78-0	0.01%
180	1,6,7,8,9,14,15,16,17,17,18,18- Dodecachloropentacyclo [12.2.1.16.9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus"TM) [covering any of its individual anti- and syn-isomers or any combination thereof]	-	0.01%
181	Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with $\geq 0.1\%$ w/w 4-heptylphenol, branched and linear]	-	0.01%
182	Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride, TMA)	552-30-7	0.01%
183	Dicyclohexyl phthalate (DCHP)	84-61-7	0.01%
184	Terphenyl, hydrogenated	61788-32-7	0.01%
185	Octamethylcyclotetrasiloxane (D4)	556-67-2	0.01%
186	Decamethylcyclopentasiloxane (D5)	541-02-6	0.01%
187	Dodecamethylcyclohexasiloxane (D6)	540-97-6	0.01%
188	Ethylenediamine (EDA)	107-15-3	0.01%
189	Lead	7439-92-1	0.01%
190	Disodium octaborate (*2)(*5)	12008-41-2	0.01%
191	Benzo[ghi]perylene	191-24-2	0.01%
192	2,2-bis(4'-hydroxyphenyl)-4-methylpentane	6807-17-6	0.01%
193	Benzo[k]fluoranthene	207-08-9	0.01%
194	Fluoranthene	206-44-0	0.01%
195	Phenanthrene	85-01-8	0.01%
196	Pyrene	129-00-0	0.01%
197	1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan- 2-one	15087-24-8	0.01%
198	2-methoxyethyl acetate	110-49-6	0.01%
199	Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with $\geq 0.1\%$ w/w of 4-nonylphenol, branched and linear (4-NP)	-	0.01%
200	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof)	-	0.01%
201	4-tert-butylphenol	98-54-4	0.01%
202	Diisohexyl phthalate (DiHexP)	71850-09-4	0.01%
203	2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	119313-12-1	0.01%
204	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	0.01%
205	Perfluorobutane sulfonic acid (PFBS) and its salts	-	0.01%
206	1-vinylimidazole	1072-63-5	0.01%
207	2-methylimidazole	693-98-1	0.01%
208	Butyl 4-hydroxybenzoate	94-26-8	0.01%
209	Dibutylbis(pentane-2,4-dionato-O,O')tin(*15)	22673-19-4	0.01%
210	Bis(2-(2-methoxyethoxy)ethyl)ether	143-24-8	0.01%
211	Diocetyltin dilaurate, stannane, diocetyl-, bis(coco acyloxy) derivs., and any other stannane, diocetyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety (*13)	-	0.01%
212	2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers	-	0.01%
213	Orthoboric acid, sodium salt (*2) (*5)	13840-56-7	0.01%

Test Report No.: 244569858a 001

Page 22 of 27

214	2,2-bis(bromomethyl)propane1,3-diol (BMP) 2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA) 2,3-dibromo-1-propanol (2,3-DBPA)	3296-90-0 / 36483-57-5 / 1522-92-5 / 96-13-9	0.01%
215	Glutaral	111-30-8	0.01%
216	Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17]	-	0.01%
217	Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering any individual isomers and/or combinations thereof (PDDP)	-	0.01%
218	1,4-dioxane	123-91-1	0.01%
219	4,4'-(1-methylpropylidene)bisphenol	77-40-7	0.01%
220	tris(2-methoxyethoxy)vinylsilane	1067-53-4	0.01%
221	S-(tricyclo[5.2.1.0 ^{2,6}]deca-3-en-8-(or 9)-yl O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate	255881-94-8	0.01%
222	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	119-47-1	0.01%
223	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC) (3E)-1,7,7-trimethyl-3-(4-methylbenzylidene)bicyclo[2.2.1]heptan-2-one (1R,3E,4S)-1,7,7-trimethyl-3-(4-methylbenzylidene)bicyclo[2.2.1]heptan-2-one (1S,3Z,4R)-1,7,7-trimethyl-3-(4-methylbenzylidene)bicyclo[2.2.1]heptan-2-one (±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one (1R,4S)-1,7,7-trimethyl-3-(4-methylbenzylidene)bicyclo[2.2.1]heptan-2-one (1S,3E,4R)-1,7,7-trimethyl-3-(4-methylbenzylidene)bicyclo[2.2.1]heptan-2-one (1R,3Z,4S)-1,7,7-trimethyl-3-(4-methylbenzylidene)bicyclo[2.2.1]heptan-2-one	1782069-81-1 95342-41-9 852541-25-4 36861-47-9 741687-98-9 852541-30-1 852541-21-0	0.01%
224	N-(hydroxymethyl)acrylamide	924-42-5	0.01%
225	1,1'-[ethane-1,2-diylbisoxo]bis[2,4,6-tribromobenzene]	37853-59-1	0.01%
226	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol	79-94-7	0.01%
227	4,4'-sulphonyldiphenol	80-09-1	0.01%
228	Barium diboron tetraoxide	13701-59-2	0.01%
229	Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof	-	0.01%
230	Isobutyl 4-hydroxybenzoate	4247-02-3	0.01%
231	Melamine	108-78-1	0.01%
232	Perfluoroheptanoic acid and its salts	-	0.01%
233	reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl)morpholine	-	0.01%
234	bis(4-chlorophenyl) sulphone	80-07-9	0.01%
235	Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	75980-60-8	0.01%

Remark:

- (*)2 The substances are tested and calculated in terms of its respective elements and to the worst-case scenario. The report states the theoretical value of SVHC substances without consideration of the actual occurrence in the article.
- (*)3 The substances are tested and calculated in terms of Cr (VI).
- (*)4 The substance is tested and calculated in terms of Tributyl tin.
- (*)5 The substances are confirmed and tested in terms of borate and the borate may come from the compounds other than SVHCs.
- (*)6 The substances are UVCB (substance of unknown or variable composition, complex reaction products or biological materials), which are identified by its main constituents.
- (*)7 Individual concentrations to the constituent of UVCB with an amount of < 0.01% were not considered by the calculation of the sum.
- (*)8 The test results are based on microscopic and chemical evaluation.
- (*)9 The substances are quantified in terms of Michler's ketone and Michler's base by LC-MS, as Michler's ketone or Michler's base was found exceeds 0.01%.
- (*)10 The content oligomer is determined by Py-GC/MS.
- (*)11 The content of diazene-1,2-dicarboxamide is analyzed in terms of its breakdown product.

Test Report No.: 244569858a 001





Page 23 of 27

- (*12) The substance is tested in terms of pentadecafluorooctanoate.
- (*13) The substance is tested and calculated in terms of Dioctyl tin.
- (*14) The substance is tested and calculated in terms of Monooctyl tin and Dioctyl tin.
- (*15) The substance is tested and calculated in terms of Dibutyl tin
- (*16) The tested material(s) was screened only for selected SVHCs. Selection of tests refers to the material type and application and the possibility of contamination during production & material specific contamination of the product.
- (*17) The other SVHCs which are not mentioned in test result were either not subject to testing according to remark *16 or less than report limit.
- (*18) The theoretical content of SVHC substances is calculated in terms of its respective elements. This material may contains the mentioned SVHCs, it is suggested to check the respective recipe if the theoretical content of the respective substance >0.1% in each article

Test Report No.: 244569858a 001

Page 24 of 27






Sample Photos



Test Report No.: 244569858a 001

Page 25 of 27





Sample Photos



Test Report No.: 244569858a 001




Page 26 of 27

Sample Photos



Test Report No.: 244569858a 001

Page 27 of 27

Sample Photos**- END -**

General Terms and Conditions of Business of TÜV Rheinland in Greater China